

Prepared according to 29CFR 1910.1200, Regulation (EC) No. 1272/2008 (GHS) and Canadian Controlled Products Act (CPR)

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME:	<i>The Itch Eraser Spray</i>	HMIS Hazard Rating	
Product Code:	044224624109	HEALTH	1
SDS Date:	December 17, 2015	FLAMMABILITY	3
SDS Revision No.:	2	REACTIVITY	0
USE:	OTC topical treatment for itch	PERSONAL PROTECTION	X
MANUFACTURER:	Tender Corporation		
ADDRESS:	944 Industrial Park Road Littleton, NH 03561		
CUSTOMER SERVICE:	cs@tendercorp.com		
TECHNICAL QUESTIONS:	regulatory@tendercorp.com		
INFORMATION CALLS:	800-258-4696	FAX PHONE:	603-444-6735
EMERGENCY PHONE:	Spills: (800) 354-2382 (Veolia) Medical Information:(800) 258-4696 (Tender Corporation)		

SECTION 2: HAZARDS IDENTIFICATION
EMERGENCY OVERVIEW: *Cloudy Liquid flammable spray with eucalyptus odor*
HAZARD CLASSIFICATION: *This product is considered hazardous by the 2012 OSHA Hazard Communication Standard (29CFR 1910.1200)*
GHS Label elements, including precautionary statements

Pictogram


Signal word *Danger*
Hazard statement(s)
H225 Highly flammable liquid and vapour
H315 Causes skin irritation
H319 Causes serious eye irritation
Precautionary statement(s)
P405+102 Store locked up. Keep out of the reach of children
P234 Keep only in original container
P264 Wash hands thoroughly after handling
P305+P351+P338 IF IN EYES; Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P301+330+331+314 IF SWALLOWED: Rinse mouth. DO NOT induce vomiting. Get medical advice/attention if you feel unwell.
ROUTES OF EXPOSURE: *Dermal, oral*
POTENTIAL HEALTH EFFECTS
INHALATION: *May cause irritation to lungs*
SKIN CONTACT: *Pre-existing skin disorders may be aggravated by exposure, prolonged or repeated contact may dry skin and causes irritation*
EYE CONTACT: *Prolonged contact may cause irritation, with redness, pain, tearing, blurred vision and conjunctivitis.*
INGESTION: *May be harmful if swallowed.*
SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	Conc. (%)	CAS NO.	EINECS NO.	Classification
Ethyl alcohol	72.5	64-17-5	200-578-6	WHMIS CLASS B2 Flammable Liquid--Toxic D2B EU-F; R11
Water, distilled,	15.9	7732-18-5	231-791-2	none
Glycerin	3.0	56-81-5	200-289-5	none
Povidone	3.0	9003-39-8	none	none
Oat gum—Contains Gluten	2.0	73020-09-4	none	none
Diphenhydramine hydrochloride	2.0	147-24-0	205-687-2	WHMIS D18--Toxic EU Xn: R22

Prepared according to 29CFR 1910.1200, Regulation (EC) No. 1272/2008 (GHS) and Canadian Controlled Products Act (CPR)

other components all 0.5 % or less			
------------------------------------	--	--	--

See Section 8 – “EXPOSURE CONTROLS/PERSONAL PROTECTION” for exposure guidelines

SECTION 4: FIRST AID MEASURES

- INHALATION:** Remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, trained personnel should give oxygen.
- OVER EXPOSURE SKIN:** Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes
- CONTACT WITH EYES:** Rinse immediately with plenty of water, also under the eyelids for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing.
- INGESTION:** Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person.

SECTION 5: FIRE-FIGHTING MEASURES

- FIRE AND EXPLOSIVE PROPERTIES:** This product is flammable
- Flash Point:** 16 C / 61 F
- Flammable Limits:** Not applicable
- EXTINGUISHING MEDIA:** Dry Chemical or Foam, Alcohol Resistant Foam, Carbon Dioxide Water Spray
- SPECIFIC HAZARDS:** Vapors may travel to the source of ignition and flash back. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks). Vapor explosion hazard indoors, outdoors or in sewers. Runoff to sewer may create fire or explosion hazard.
- PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS:** Move containers from fire area if you can do it without risk. Damaged bulk containers should be handled only by specialists.
- FURTHER INFORMATION:** Fire residues and contaminated firefighting water must be disposed of in accordance with local regulations

SECTION 6: ACCIDENTAL RELEASE MEASURES

- PERSONAL PRECAUTIONS:** Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Stop leak if you can do it without risk.
- ENVIRONMENTAL PRECAUTIONS:** Do not allow into any sewer, on to ground or into any waterway.
- METHOD FOR CONTAINMENT AND CLEAN-UP:** Prevent product from entering drains and ventilation systems. Contain and soak up spill with absorbent that does not react with spilled product. Place used absorbent into suitable, covered labeled containers for disposal. Large Spills: Dike spill product to prevent runoff. Recover contaminated water for appropriate disposal. Report spills to local health, safety and environmental authorities, as required.

SECTION 7: HANDLING AND STORAGE

- HANDLING:** Read entire label before using. Use strictly in accordance with label precautionary statements and directions. Do not contaminate food or feed. Handle in accordance with good industrial hygiene and safety practice. Use person protection equipment. Avoid contact with skin and eyes. Avoid breathing vapors or mists. Keep away from heat/sparks/open flames/hot surfaces – No smoking. Use grounding or bonding connection when transferring this material to prevent static discharge, fire or explosion. Use spark-proof tools and explosion-proof equipment. Keep in area equipped with sprinklers.
- STORAGE:** Keep product in its original container. Keep container tightly closed. Store this product in a cool, dry place away from heat or direct sunlight. Protect from freezing. Keep away from heat, sparks, flame and other sources of ignition.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- ENGINEERING CONTROLS:** General ventilation is usually adequate
 When handling large quantities of concentrated product, use local exhaust ventilation, if necessary.
- PERSONAL PROTECTIVE EQUIPMENT (PPE):** Tight sealing safety goggles.
- EXPOSURE GUIDELINES:**

INGREDIENT:	CAS NO.	%	Exposure Limits		
			ACGIH TLV-TWA	ACGIH TLV-STEL	OSHA PEL-TWA

Prepared according to 29CFR 1910.1200, Regulation (EC) No. 1272/2008 (GHS) and Canadian Controlled Products Act (CPR)

Ethyl alcohol	64-17-5	72.5	1900 mg/m ³		1900 mg/m ³
---------------	---------	------	------------------------	--	------------------------

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	<i>Pump Spray Liquid, Cloudy to Light Yellow</i>
ODOR:	<i>Eucalyptus</i>
pH:	<i>8</i>
BOILING POINT:	<i>80° C / 176° F</i>
MELTING POINT:	<i>Not applicable</i>
RELATIVE DENSITY (H₂O = 1) @25°C:	<i>0.87 gm/ml</i>
VAPOR PRESSURE (mmHg) @ °C:	<i>Not applicable</i>
VAPOR DENSITY (AIR = 1):	<i>Not applicable</i>
FLASH POINT:	<i>16° C / 61° F</i>
SOLUBILITY IN WATER:	<i>Completely Soluable</i>
SOLUBILITY IN SOLVENTS:	<i>Not determined</i>
VISCOSITY:	<i>15,000 cps @ 25° C</i>
VOLATILE ORGANIC COMPOUNDS (VOC):	<i>Not determined</i>
PARTITION COEFFICIENT:	<i>Not determined</i>

SECTION 10: STABILITY AND REACTIVITY

STABILITY:	<i>Stable</i>
CONDITIONS TO AVOID:	<i>Heat, flames and sparks.</i>
INCOMPATIBILITY (MATERIAL TO AVOID):	<i>Strong acids, most common metals, strong oxidizing agents, strong alkalis or mineral acids.</i>
HAZARDOUS DECOMPOSITION OR BY-PRODUCTS:	<i>Carbon dioxide, Carbon monoxide, Nitrogen and Phosphorus oxides</i>
HAZARDOUS POLYMERIZATION:	<i>Will not occur</i>

SECTION 11: TOXICOLOGICAL INFORMATION

The preparation has not been tested for all toxicological effects; some are classified on the basis of the known hazards of the components.

Acute oral toxicity:	LD50 – <i>Greater than 2,000 mg/kg female rat</i> Method: <i>OPPTS 870.1100, OECD 425</i> Source: <i>Product Tested 2002</i>
Acute inhalation toxicity:	LC50 – <i>Not determined</i>
Acute dermal toxicity:	LD50 – <i>Not determined</i>
Irritant effect on skin:	<i>Non irritating (PDII: 0.3)</i> Method: <i>OPPTS 870.2500, OECD 404</i> Source: <i>Product Tested 2002</i>
Irritant effect on eyes:	<i>Practically non-irritating (MMTS 1.3)</i> Method: <i>OPPTS 870.2400, OECD 405</i> Source: <i>Product Tested 2002</i>
Sensitization:	<i>No ingredient has been identified as having sensitizing properties.</i>

Prepared according to 29CFR 1910.1200, Regulation (EC) No. 1272/2008 (GHS) and Canadian Controlled Products Act (CPR)

Source: Literature

Mutagenicity: Not determined

Carcinogenicity/Reproductive toxicity: No components present in this material at concentrations of 0.1% or greater are listed by IARC, NTP, OSHA or ACGIH as being carcinogens.
Source: Safety Data Sheets of components

Specific Target Organ Toxicity **Single exposure (GHS) – no data available**
Repeated exposure (GHS) - no data available

Signs and Symptoms of Exposure Redness, rash or blistering

POTENTIAL HEALTH EFFECTS

INHALATION: May cause irritation to lungs

SKIN CONTACT: Pre-existing skin disorders may be aggravated by exposure

EYE CONTACT: Prolonged contact may cause irritation, with redness, pain, tearing, blurred vision and conjunctivitis.

INGESTION: May be harmful if swallowed.

SECTION 12: ECOLOGICAL INFORMATION

General Comments: Ecotoxicological data have not been determined specifically for this product, but it is classified on the basis of the known hazards of the components. This section is not required by WHMIS.

Mobility The product is water-based and expected to be mobile in the aquatic environment.

Persistence/degradability All ingredients are readily biodegradable in the environment.

Bioaccumulation No information available

Toxicity No information available

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Do not reuse any empty containers.

US: This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261).

International: This product should not be disposed of via the drains or by landfill. Disposal must be in accordance with current national and local regulations. Chemical residues generally count as special waste, and their disposal may be regulated in the EC member countries through corresponding laws and regulations. We recommend that you contact either the authorities or approved waste disposal companies who will advise you on how to dispose of special waste.

General EU requirements are given in the Waste Framework Directive (75/442/EEC) and the Hazardous Waste Directive (91/689/EEC).

Packaging may contain residues of the product and should be treated accordingly

SECTION 14: TRANSPORT INFORMATION

SHIPPING INFORMATION:
Marine Pollutant: No

Regulation	UN No.	Proper Shipping Name	Class	Package Group	Additional Information
U.S. Department of Transportation (DOT) – Non-Bulk	UN1170	Consumer Commodity	ORM-D	II	Emergency Response Guide Number 127
U.S. Department of Transportation (DOT) – Bulk	UN1170	Ethanol	3	II	Emergency Response Guide Number 127
Canadian Transportation of Dangerous Goods (TDG) Non-Bulk	UN1170	Ethanol	3	II	
International Maritime Dangerous Goods (IMDG) Non-Bulk	UN1170	Ethanol	3	II	EmS-No F-E, S-D
International Air Transport Assoc. (IATA) Non-Bulk	UN1170	Ethanol	3	II	ERG Code 3L

The transportation regulations are cited according to international regulations and in the form applicable to the United States and Canada. Possible national deviations in other countries are not considered.

Prepared according to 29CFR 1910.1200, Regulation (EC) No. 1272/2008 (GHS) and Canadian Controlled Products Act (CPR)

Prepared according to 29CFR 1910.1200, Regulation (EC) No. 1272/2008 (GHS) and Canadian Controlled Products Act (CPR)

SECTION 15: REGULATORY INFORMATION
U.S. FEDERAL REGULATIONS:

TSCA (TOXIC SUBSTANCE CONTROL ACT): *Complies*
 CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT): *NONE*
 CERCLA HAZARDOUS SUBSTANCE: *None*
 CERCLA REPORTABLE QUANTITY: *None*
 RCRA 261 (RESOURCE CONSERVATION RECOVERY ACT): *None*
 SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)
 Section 302 Extremely Hazardous Substances (TPQ): *None*
 311/312 HAZARD CLASS: *Acute Health Hazard.*
 313 REPORTABLE INGREDIENTS: *None*

U.S. STATE REGULATIONS:

California Proposition 65: *This product contains Ethyl Alcohol It is not intended for ingestion. The State of California lists Ethyl Alcohol as a chemical known to cause cancer and developmental hazards under when it is ingested as an alcoholic beverage..*
States Right to Know: *Ethyl Alcohol 64-17-5 CA, PA, RI, FL, TN, NJ, MN, and MA-*

CANADIAN REGULATIONS:

This product has been classified in accordance with the hazard criteria of CPR and the SDS contains all the information required by the CPR.

 WHMIS CLASSIFICATION: *B2 Flammable Liquid*

D2B Toxic


DOMESTIC SUBSTANCE LIST (DSL)/NON-DOMESTIC SUBSTANCE LIST (NDSL): *All components are listed or exempt*
Canadian Ingredient Disclosure List: *Ethyl Alcohol 64-17-5*

EU REGULATIONS:

Labeling in accordance with EC-Directives

Flammable

Irritant

Hazard symbols:

Hazardous component(s) to be indicated on label: *Contains Ethyl Alcohol 64-17-5*

R phrases	22	<i>Harmful if swallowed</i>
	36	<i>Irritating to eyes</i>
	37	<i>Irritating to respiratory system</i>
	38	<i>Irritating to skin</i>
S phrases	2	<i>Keep locked and out of the reach of children</i>
	7	<i>Keep Container Tightly Closed</i>
	16	<i>Keep away from source ignition—No Smoking</i>
	26	<i>In case of contact with eyes, rinse immediately with plenty of water and seek medical advice</i>
	49	<i>Keep only in the original container</i>

SECTION 16: OTHER INFORMATION

HMIS		
Health: 1	Flammability: 3	Reactivity: 0
Special: None		

4=extreme 3=High 2=Moderate 1=Slight 0=Insignificant

REVISED SECTIONS OR REASON FOR REVISION:

 1-(12-4-2015) *FORMATTING CHANGES*

 2-(12-17-2015) *CORRECTION TO ETHYL ALCOHOL INFORMATION*

DISCLAIMER: *The information provided herein was believed to be accurate, to the best knowledge of Tender Corporation, at the time of preparation from a compilation of sources believed to be reliable and is furnished without warranty, expressed or implied. It is the responsibility of the user to investigate and understand other pertinent sources of information, to comply with all laws and procedures applicable to the safe handling, storage and use of this product and to determine the suitability of the product for its intended use. This data sheet relates only to the specific product listed and does not relate to use in combination or in any process with other materials*